

The quick one...

# HUBTEX.

- Capacities  
from 3.0 up to 6.0 t
- Lift heights  
up to 9000 mm



Electric-, Diesel-, LPG-  
Sideloaders

# ... quick and safe

Wherever long loads are transported, handled or loaded, the HUBTEX sideloader is in its element. Preferably, the sideloader is used in outside warehouses of the timber, building material, and steel industry. The sideloaders are available with diesel-, LPG-, or electric engines, and because of their innovative drive concept, high speeds and a new cabin design they set standards regarding energy efficiency, economy, and ergonomics.

» Capacities from 3.0 up to 6.0 t

» Frame tilt  
for safe and easy loading, and high residual capacities

» Underfloor engines  
care for minimized noise emission and optimized weight distribution

» Proportional valve technique  
for smooth and stepless operation of all lift mast functions

» Three drive variations  
electric, diesel or LPG drive

» Internal and external application  
combined use or external use only

» Electronically controlled hydrostatic drive  
provides maximum traction, reduced energy consumption and the ability to adapt the sideloader settings to individual customer requirements

» High drive speeds  
up to 20 km/h



» Stable and robust lift masts  
with high residual capacities even at wide load centers

» Newly designed ergonomic driver's workstation  
with excellent allround visibility for best possible safety at work

» Fingertip control levers  
for sensitive operation of the hydraulic functions



without HUBTEX







Engine	Diesel
Capacity (t)	3,0–6,0
Series	3730, 3740, 3750, 3760
Loadbed width NB (mm)	1200 / 1400
Lift height h3 (mm)	up to 9000
Frame length L (mm)	4495
Loadarm opening RA (mm)	1400
Tyres	pneumatic
Cabin	new cabin

LPG	Electric
3,0–6,0	3,0–6,0
3732, 3742, 3752, 3762	3734, 3744, 3754, 3764
1200 / 1400	1200 / 1400
up to 9000	up to 9000
4495	4495
1400	1400
pneumatic	pneumatic
new cabin	new cabin

## with HUBTEX



## Optimize your warehouse capacity!

Due to the use of HUBTEX siders, narrow aisles can be passed through without any problems and the distance between the rack rows are reduced to a minimum. In this way, space is created for additional rack rows and new warehouse capacity.

- up to 100 % more storage space
- fast, safe and efficient
- less damage to merchandise /less breakage

... for more than 30 years

# Equipment feature of the series in detail

## » Lift mast and Mast reach

Oversized lift mast profiles and cylinders lift and hold the load safely in all areas. The diversity, simplex, duplex and triplex mast structures and a wide range of handling attachments allow to match the HUBTEX sideloader exactly to the individual application. Crossed hydraulic cylinders guarantee smooth mast movements, absolutely jerk free in mast end positions and therefore careful treatment of truck and load.

## » Drive

The powerful drive unit is placed below the platform. This arrangement takes care for best possible visibility for the driver and reduces the noise level to a minimum. The specifically economic, electronically controlled hydrostatic drive is adjustable to individual customer requirements. The drive motors are available as diesel and LPG motors. We use low-emission engines, installed service-friendly and easily accessible.



We reserve the right to make technical changes. The illustrations may show accessories, special equipment or other fixtures which are not included in the standard scope of delivery or service. Power ratings are approximate values without any obligation.



## » New ergonomic cabin

Working with the new HUBTEX sideloader is a real pleasure. Everything is clearly arranged and easily accessible. The comfortable, ergonomic workstation offers more elbow room and optimized visibility in all directions. All hydraulic functions are operated by ergonomically arranged fingertip control levers or optionally by joystick. The rubber mounted cab and the full suspension seat care for convenient working and conserve driver's health.

Two non-slip access steps, handrails, non-slip tread, safety belt, reverse alarm, a complete lighting system with warning light ensure optimum safety for drivers and other employees in the company. The noise level is remarkably reduced by sound protection of motor and cabin.

# HUBTEX.

**HUBTEX Maschinenbau GmbH & Co. KG**

Industriepark West  
Werner-von-Siemens-Str. 8  
36041 Fulda, Germany  
Telephone: +49-661-8382-0  
Fax: +49-661-8382-120  
info@hubtex.com  
[www.hubtex.com](http://www.hubtex.com)

© creat.de

As of 04/2011/000.2984